

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/764,664	01/26/2004	Walid N. Aboul-Hosn	9261.16586-CIP PCT US DIV		
7:	590 07/14/2005		EXAM	INER	
Daniel D. Ryan RYAN KROMHOLZ & MANION, S.C.			NGUYEN, CAMTU TRAN		
Post Office Box 26618			ART UNIT	PAPER NUMBER	
Milwaukee, W	I 53226-0618		3743		
•		• .	DATE MAILED: 07/14/2005	DATE MAILED: 07/14/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

Tala

	Application No.	Applicant(s)				
Office Action Summany	10/764,664	ABOUL-HOSN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Camtu T. Nguyen	3743				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 25 Ap	<u>oril 2005</u> .					
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL. 2b) This action is non-final.					
3) Since this application is in condition for allowar	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) 1-4 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-4 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date S Patent and Trademark Office.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

DETAILED ACTION

Response to Amendment

This Office Action is in response to applicant's comments filed on April 25, 2005. No claim has amended. Applicant's comments pertaining to the Double Patenting Rejection has been noted and the rejection has been withdrawn. With regards to the Joh et al rejection, during normal operation, the Joh et al device comprising all of the structures that would inherently performing the steps as recited in the method claims.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Joh et al (U.S. Patent No. 4,508,535). Joh et al discloses in Figures 6a-6b cannula system comprising elements as recited in these claims including inflow cannula (14) is inserted into the left atrium (17), outflow cannula (33) is inserted toward the ascending aorta (34), and a pump (35) wherein the inflow cannula ejects blood from an atrium and guides blood to the artificial heart (31) while the outflow cannula guides blood from the artificial heart (31) back to the pulmonary artery. The Joh et al device would inherently capable of performing the steps as recited in these method claims.

Application/Control Number: 10/764,664

Art Unit: 3743

Conclusion

Page 3

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Camtu T. Nguyen whose telephone number is 571-272-499. The examiner can normally be reached on (M-F) 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry A. Bennett can be reached on 571-272-4791. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Camtu Nguyen July 09, 2005

Henry Bennett
Supervisor Patent Examiner